

HEALTH & WELFARE

FILE COPY

C.L. "BUTCH" OTTER - Governor RICHARD M. ARMSTRONG - Director DEBRA RANSOM, R.N.,R.H.I.T., Chief BUREAU OF FACILITY STANDARDS 3232 Elder Street P.O. Box 83720 Boise, ID 83720-0036 PHONE 208-334-6826 FAX 208-364-1888

August 25, 2008

Joseph S. Bleymaier, Administrator Emmett Rehabilitation & Healthcare, Inc. 714 North Butte Avenue Emmett, ID 83617

Provider #: 135020

Dear Mr. Bleymaier:

On August 6, 2008, a Follow-Up revisit survey was conducted at Emmett Rehabilitation & Healthcare, Inc by the Bureau of Facility Standards/Department of Health & Welfare to determine if your facility was in compliance with State Licensure and Federal participation requirements for nursing homes participating in the Medicare and/or Medicaid programs. Your facility was found to be in substantial compliance with Federal regulations during this survey.

Enclosed is a Statement of Deficiencies/Plan of Correction, State Form, listing licensure health deficiencies. In the spaces provided on the right side of each sheet, answer each deficiency and state the date when each will be completed. WAIVER RENEWALS MAY BE REQUESTED ON THE PLAN OF CORRECTION. Please provide ONLY ONE completion date for each State Tag in column X5 (Complete Date), to signify when you allege that each tag will be back in compliance. After each deficiency has been answered and dated, the administrator should sign the State Form Statement of Deficiencies, in the space provided, and return the original to this office.

Your copy of the Post-Certification Revisit Report, CMS Form 2567B, listing deficiencies that have been corrected is enclosed.

Your Plan of Correction (POC) for the deficiencies must be submitted by September 8, 2008.

Your POC must contain the following:

What corrective action(s) will be accomplished for those residents found to have been

Joseph S. Bleymaier, Administrator August 25, 2008 Page 2 of 2

affected by the deficient practice;

- How you will identify other residents having the potential to be affected by the same deficient practice and what corrective action(s) will be taken;
- What measures will be put into place or what systemic changes you will make to ensure that the deficient practice does not recur; and,
- How the corrective action(s) will be monitored to ensure the deficient practice will not recur, i.e., what quality assurance program will be put into place.
- Provide dates when corrected action will be completed.

Thank you for the courtesies extended to us during the survey. If you have any questions, please contact this office at (208) 334-6626.

Sincerely,

Lonene Kayser

LORENE KAYSER, L.S.W., Q.M.R.P.

Supervisor

Long Term Care

LKK/dmj

Enclosures

PRINTED: 08/25/2008 FORM APPROVED

TATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER (DENTIFICATION NUM		ER: A. BUILDI B. WING	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED R R 08/06/2008	
	ROVIDER OR SUPPLIER	S .	STREET ADDRESS, CITY 714 NORTH BUTTE EMMETT, ID 83617	AVENUE	Michigan Penglan Investor	<u> </u>
(X4) ID PREFIX TAG	建二十四日 医复数形式 医	ATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FI LISC IDENTIFYING INFORMATI	JLL PREFIX (ON) TAG	PROVIDER'S PLAN OF CO (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE DEFICIENCY)	4 SHOULD BE 1	(X5) COMPLETI DATE
>	Department of He Skilled Nursing ar Facilities are foun Title 03, Chapter The following defifollow up to the air The surveyors conditions and Bain, Risk Kari Davies, MP (Serving of all foor facility shall compensation, prepartment of HR (Serving of all foor facility shall compensation of the conditions were food. This Rule is not Based on observing a kitcher am, the following freezer: 1. An open bag date.	Rules of the Idaho alth and Welfare, id Intermediate Care d in IDAPA 16, clencles were cited duri nual survey at your fac nducting the survey wer I, RD, LD SANITATION ation. The aration, storage, and d and drink in a	w, it was initary ge of 0% of s include: t 10:30 me main	This Plan of Correction is a submitted as required by a submitting this Plan of Correction & I does not admit that the delisted on the CMS Form 25 does the Facility admit to statements, findings, facts conclusions that form the alleged deficiencies. The reserves the right to chall proceedings, all deficiencies statements, findings, facts conclusions that form the deficiency. C 325 02.107,08 1. Open, unlabeled bags removed from the kitches. 2. All residents could be deficient practice. All die re-inserviced concerning storage and safety, as we individual responsibilities proper sanitary practices inserviced on conducting rounds. 3. Dietary Manager or the will conduct daily checks storage and maintain a life storage an	aw. By rrection, lealthcare eficiencies 667 exist, nor any s or basis for the Facility enge in legal es, s and basis for the of food were n on 8/6/08. affected by this tary staff were proper food all as their s to ensure Cooks were daily sanitary he Lead Cook of the food	7/31/08

ADMINISTRATOR

8V4X12

STATE FORM

If continuation sheet 1 of 2

AND PLAN OF CORRECTION		X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED			
*			A. BUILDING		R				
135020				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			/2008		
NAME OF F	PROVIDER OR SUPPLIER				STATE, ZIP CODE				
ЕММЕТТ	REHAB & HEALTHC	ARE INC		TH BUTTE AVENUE , ID 83617					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPR DEFICIENCY)	ON SHOULD BE			
{C 325}	Continued From page 1 date. A dietary staff member was questioned regarding the unlabeled/undated food items in the freezer and was unable to state when the items had been placed in the freezer.			{C 325}	C 325 (Continued from page 1) open foods are labeled and dat	ed and			
					that other sanitary checks are completed.				
					4. Daily sanitary checks will be and brought to the administrat weekly, and reviewed by the Quastrance (QA) Committee for months, and quarterly thereaft	or uality three			
					Date: 9/8/08				
`									

Bureau of Facility Standards